Application No.	Applicant(s)	
10/642.288	CHENG, SHIANG-SHENG	
Examiner	Art Unit	
Khoa D. Huynh	3751	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to applicant response filed on 05/14/04 & examiner amendment filed on 05/27/04.		
2. The allowed claim(s) is/are <u>4</u> .		
3. The drawings filed on 18 August 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
t be submitted. on's Patent Drawing Review (PTO s Amendment / Comment or in the (84(c)) should be written on the drawing beader according to 37 CEP 1121	Office action of ings in the front (not the back) of	
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amend		
	Examiner Khoa D. Huynh ars on the cover sheet with the of (OR REMAINS) CLOSED in this apport of the appropriate communication GHTS. This application is subject to and MPEP 1308. and on 05/14/04 & examiner amendated and on 05/14/04	

Application/Control Number: 10/642,288

Art Unit: 3751

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in the Response (page 9 of the Remarks section) filed on 05/14/04.

The application has been amended as follows:

In the new claim 4,

line 43: after "manually press down" insert --; wherein said operating rod is protruded from a front upper end of the toilet--.

2. Claim 4 is allowed over the prior art of record.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khoa D. Huynh whose telephone number is (703) 306-5483. The examiner can normally be reached on M-F (7:00-4:30) Second Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on (703) 308-2580. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3751

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HK 05/27/04

> GREGORY L. HUSON SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700